LABORATORY METALWARE 01

Burette Clamp(plastic)

Spring loaded self-closing jaws, without obscuring graduations. Central bosshead for rods up to 14mm diameter

item no.	model
CB180-10	Double
CB180-12	Single



Double Burette Clamp

For two burettes from micro to 100ml size and self-closing jaws without obscuring graduations. Die-cast, high stergth alloy and palstic coated.

Item no.	
CB170-10	



Sigle Burette Clamp(Alloy)

Almost the same as CB170-10, but for single burette usage.

Item no.	
CB170-20	



Burette Clamp(Alloy,Ni/Cr plated)

Self-closing jaws clamp the burettes in rigid, upright postion without obscuring graduations. Die-cast, high stength alloy.

Item no.	Model
CB170-30	Double
CB170-31	Single



Double Burette Clamp(plastic)

Spring loaded.Clear view for graduations.With rubber grips and central bosshead.For rods from 11mm to 14mm in diameter.

item no	Model
CB160-10	ABS
CB160-12	PP



Single Burette Clamp(Plastic)

Made of palstic.Same asCB160-10

item no	Model
CB150-10	ABS
CB150-12	PP



Four Finger Clamp(shank)

Die-cast alloy,Ni/Cr plated finish,with cork lined interlocking jaws.Accepts articles up to 80mm in diameter.

item no	Model	
CJ190-10	Chromed	
CJ190-11	Plastic coated	



Four Finger Clamp(shank)

Die-cast alloy,Ni/Ci plated finish,with cork lined interlocking jaws. Accepts articles up to 80mm diameter.

item no	Model
CJ200-10	Chromed
CJ200-11	Plastic coated



Four finger swivel calmps

Chrome plated,zinc-alloy,for articles up to 80mm in diameter.And rotete 360 degrees.locks in any position.

item no	Model	Size
SW300-80	UK type	0-80mm
SW300-90	eu type	0-80mm



Round jaws universal calmps		
item no	Model	Size
FW150-30	Shank	30mm
FW150-50	Shank	50mm
SW150-30	Swivel	30mm
SW150-50	Swivel	50mm



Three finger clamp(Large)

Die-cast alloy, Chrome or palstic coated finish. With three coated jaws. Accept articles up to 70mm.

item no	Model	Size
CJ170-10	Chrome	0-70mm
CJ170-11	Plastic coated	0-70mm



Three finger swivel clamps(large)

PVC coated prong.Made of zinc-alloy and chrome plated.For articles from 0-70mm in diameter.

Item no.	
Rom no.	
SW300-40	



Three finger clamps (small, medium)

Made of chrome plated alloy with three PVC coated prongs.

Item No.	Model	Size
CJ170-20	Small	0-25mm
CJ170-21	Medium	0-50mm



Swivel three finger clamp

Made of chrome plated metal with three PVC coated prongs.used for byretes and tubes

Item no.	Model	size
SJ170-20	Small	0-25mm
S.J170-21	Medium	0-50mm



Three finger double adjust clamp(large)

Double adjustable, PVC coated prongs. Made of chrome plated zinc-alloy. Accept objects from 0 to 60mm.

item no	
FW200-70	



Three finger double adjust swivel calmp(large)

Same as FW200-70, with bosshead for rod max up to 21mm.

Jame	as i	1 11200-7	ι,
	iter	n no	
9	:W2	200-70	



Three finger double adjust clamp(small)

Double adjustable, PVS coated prongs. Made of chrome plated zinc-alloy. Accepts objects from 0 to 30mm.

item no	
FW200-30	



Three finger double adjust clamps(small)

Same as FW200-30 ,with bosshead for rod up to 21mm.

Carri	C as i	VV 200 30
	iten	n no
	SW2	00-30



Three prong fixed bosshead calmp

Made of chrome plated zinc-alloy for dia form 4 to 20mm.

Made of Chrome	μıa
item no	
FB200-20	



Two prong extension clamp (medium)

Made of Ni/Cr plated zinc alloy.PVC coated prongs.Accept articles from 12 to 45mm

item no	
FW100-45	



Two prong seivel clamp (Small)

Swivel clamps with PVC coated prongs to accommodate areticles at any angle . Chrome plated zinc alloy. For item 12 to 45 mm.

item no	
SW100-45	



Two prong xtension clamps(small)

Made of Ni/Cr plated zinc alloy,PVC coated prongs. Accepts articles from 7 to 25mm.

item no	
SW100-25	



Two prong fixed bosshead clamp

Two prong bosshead clamp(FB100-25)made of Ni/Cr plated zinc-alloy,with PVC coated double prongs.

item no.	model	size
FB100-25	small	7-25mm
FB100-45	medium	12-45mm



Chain clamp

With chain and spring , made of AISI304 stainless steel. For dia .from 80mm to 150mm.

item no.	
CC400-145	



Universal clamp

Plastic coated alloy, stamped steel rod shank. Recommend for condenser and irregular shapes.

onapoo.		
item no.		
C 1202-26		



Suspension clamp

Hold thermometers, drying tubes or other item.

	, 0
item no.	model
SC350-10	single prong
SC350-12	double prong



Thermometer extension clamp

Extension rod 10mm in dia.total length:200mm.

Extonoion roa ronnin	•
Item no.	
ST200-15	



Thermometer swivel clamp

Same as ST200-15, but with adjustable bosshead.

Odific as 01200	10,
item no.	
ST120-15	



Double clamps (medium + small)

One jaw grip object up to 25mm, rotates 360 degrees .

item	no).	
TT60	0-	10	



Univerisal clip(Brass)

item no.	model
CJ180-10	large
CJ180-14	medium



	Universal clip(st	eel)
item no.	model	
CJ200-16	large	
CJ200-18	medium	



Universal clip	(S/S:stainless steel)
----------------	-----------------------

item no.	model
CJ201-20	large
CJ201-22	medium



	1	\sim 1	in

item no.	model
CJ204-28	alloy
CJ204-30	sheet metal



Beaker Tong

For beakers, flat hinge.overall length 275mm.

item no.	model
CJ205-30	PVC coated
TB600-10	Rubber covered



Bosshead

Perfect for mixer use, highstrength and sturdy.

	,
item no.	model
CB200-08	19mm



Bosshead

High-sturdy. One end open :23mm, the other end :38mm.

item no.	
CB200-09	



Bosshead

Die-cast alloy with nikel plated T screw head. For rods up to 15mm diameter.

diameter:	
item no.	
CB200-10	



Bosshead

Chrome plated finish, plastic headed screws. For rods up to 15mm dimameter.

item no.	
CB200-12	
CB200-15	



Universal bosshead

Multipurpose use for round or rectangular rods up to 12mm.C cross and parallel arrangements.

item no	model
CB290-10	plastic coated
CB290-20	chrome plated



Bosshead

item no.	model	For rods Dia.
CB203-13	BLACK	13mm
CB203-16	BLACK	16mm
CB203-21	BLACK	21mm
CB203-25	BLACK	25mm
CB201-13	CHROME PLATED	13mm
CB201-16	CHROME PLATED	16mm
CB201-21	CHROME PLATED	21mm
CB201-25	CHROME PLATED	25mm
CB202-13	WHITE	13mm
CB202-16	WHITE	16mm
CB202-21	WHITE	21mm
CB202-25	WHITE	25mm





Angle adjustable four clamp

Alloy with cork lined jaws and hinge joint of 180-degree rotation angle.for article 0-80mm.

item no.	model
SJ280-10	plastic coated
SJ280-11	chrome



Three finger extension clamp(medium)

Single adjustable, max opening: 75mm chrome plated, shank: 12mm dia.

item no.	
FP270-70	



Three finger extension clamp(small)

Single adjustable max opening :30mm,chrome plated,shank:10mm dia.

item no.	
FP270-30	



Two prong double adjust extension clamp(large)

die-cast alloy,chrome plated,rod :12mm dia .max opening :65mm.

 	-
item no.	
FT260-65	



Two prong double adjust extension clamp(small)

die-cast alloy,chrome plated,rod :10mm dia .max opeing :40mm

210	odot diloy,oriron	
	item no.	
	FT260-40	_



Three prong single adjust swivel clamp (medium)

chrome plated.for object:0-70mm.

critoriic platea.ioi	OD
item no.	
SP270-70	



Three prong single adjust swivel clamp(small)

Chrome plated.For object:0-30mm.

orii orrio piatoa.i	O.	_
item no.		
SP270-30		



Two prong double adujust swivel clamp(large)

Chromed alloy.for articles 0-40mm

Official and y.ioi	uı
item no.	
ST260-40	



Double roating clamp

Chrome plated alloy,360 degree adjustable

item no.	model(opening)	
BB180-16	16mm	
BB180-19	21mm	



Double clamp for rod

Ni/Cr plated,for fixing perpendicular structures.

item no.	for rod dia.	
CB280-10	10mm	
CB280-12	12mm	
CB280-14	14mm	
CB280-16	16mm	



Ball type bosshead

Chrome plated alloy, suitiable for multilevel and three dimension constructions.

item no.	for rod dia.
CB270-13	7-13mm
CB270-25	15-25mm



Universal bosshead

For cross and parallel arrangement.chrome plated alloy.

The second second parameter and second second process		
item no.	for rod dia.	
CB260-16	16mm	
CB260-27	27mm	



Test tube holder (metal wire)

Spring steel. Hold tubes up to 30mm diameter.

item no.	model	REMARK
TH800-10	without finger grip	plated steel
TH800-20	with finger grip	plated steel



Test tube holder (hard wood)

With steel spring for tubes to 20mm

item no.	
TH810-10	



Alloy test tube and thermometer holder

Chrome plated alloy, with spring loaded jaws.for tube 0-25mm.

item no.	model
FD100-25	chromed
TH810-20	plastic coated



Test tube and thermometer swivel holder (alloy)

Chrome plated alloy, with bosshead and spring loaded jaws.for tube 0-25mm.

item no.	model
SD100-25	chromed
TH810-21	plastic coated



Mohr's tube clip

According to Mhr, made of spring steel

<u> </u>	1 0	
item no.	model	total length
TC100-14	plated steel	45mm
TC100-24	AISI304	60mm



Spring tubing clamps

Center hinged spring and acetal plastic, provide on/off flow control for flexible tubing.

item no.	for tubing dia
TC300-08	0-8mm
TC300-12	0-10mm



Hoffman side hinged clip

Zinc-alloy Nickel plated with controlthumb screw.

item no.	
TH100-08	



Hoffman's tubing clip

Hoffman type, brass made, bottom hinged and nickel plated. Allow variable flow control.

item no.	max .opening
TH200-12	12mm
TH200-17	17mm
TH200-20	20mm
TH200-25	25mm
TH200-30	30mm
TH200-40	40mm



Mohr's tubing clip

According to Mohr.made of brass, Ni plated.

item no.	total length
TC200-40	40mm
TC200-50	50mm
TC200-60	60mm
TC200-70	70mm
TC200-80	80mm



Mohr's tubing clip

According to mohr.made of brass.Nickel plated.one piece design.

item no.	total length
TC201-50	50mm
TC201-60	60mm
TC201-70	70mm
TC201-80	80mm



Crucible tongs

Flat hinge.Bowed type.Dimension given is overall length

Flat hinge. Bowed type. Dimension given is overall length.		
model	total length	
plated steel	150mm	
plated steel	200mm	
plated steel	220mm	
plated steel	250mm	
plated steel	300mm	
plated steel	350mm	
plated steel	400mm	
plated steel	450mm	
plated steel	500mm	
plated steel	600mm	
stainess steel	150mm	
stainess steel	200mm	
stainess steel	220mm	
stainess steel	250mm	
stainess steel	300mm	
stainess steel	350mm	
stainess steel	400mm	
stainess steel	450mm	
stainess steel	500mm	
stainess steel	600mm	
	model plated steel stainess steel	



Crucible tongs

Flat hinge.straight type .dimesion given is overal length

model plated steel	total length 150mm
	150mm
	10011111
plated steel	200mm
plated steel	220mm
plated steel	250mm
plated steel	300mm
plated steel	350mm
stainless steel	150mm
stainless steel	200mm
stainless steel	220mm
stainless steel	250mm
stainless steel	300mm
stainless steel	350mm
	plated steel plated steel plated steel stainless steel stainless steel stainless steel stainless steel stainless steel stainless steel



Beaker tong

Made of AISI304, fiberglass sleeve for high temperature project

item no.	length
TB500-10	250mm
TB500-20	300mm



Dish tong(forceps)

Made of AISI304, three finger type for stable operation.

item no.	length
TB400-10	250mm
TB400-20	300mm



Sperical joint pinch clamp

Spring closing action. Unique forked shaaped jaws provide uniform compression for safe, leak-free seals.screw locking device for maximum security. stainless steel bright polished finish for years of chemical resistance.

item no.	Model
CS610-12	12
CS610-18	18
CS610-28	28



CS610-35	35
CS610-50	50
CS610-65	65

Conical head clips

Made of platsic(POM))	
item no.	model	colour
CC210-10	10	green
CC210-12	12	purple
CC210-14	14	yellow
CC210-19	19	blue
CC210-24	24	green
CC210-29	29	red
CC210-34	34	orange
CC210-40	40	yellow
CC210-45	45	brown



Conical head clips (stainless steel)

made of satainless steel, bright polished.	
item no.	model
CC200-10	10/19
CC200-12	12/21
CC200-14	14/23
CC200-19	19/26
CC200-24	24/29
CC200-29	29/32
CC200-34	
CC200-40	
CC200-45	45/40



Crocodile clips

Plastic covered jaws.

item no.	colour
CR030-12	red
CR030-14	black



Forceps(4pcs/set)			
item no.	model		
1. FC100-10	with stirong tips for general use		
2. FC100-20	with curved tips		
	with flat and wire tips for stamps, wafers, cover-glasses and		
3. FC100-30	medicine		
4. FC100-40	fine,permanent sharp,reversible action		



Labotatory forceps

stainless steel

Stall liess steel			
item no.	item no. model		
A.FC210-125	straight forceps round tips,total length:15mm		
B.FC211-120	sorung straight force with fine tips,total length:120mm		
C.FC212-120	flat tips total length:120mm		
D.FC213-126	fine tips,total length:126mm		
E.FC214-102	straiht forceps round tips,total length:102mm		



G clamp

cast iron, with ball end for surface protection, painted black and blue.

item no.	range	colour
GC100-10	0-25mm(1")	black
GC100-20	0-50mm(2")	black
GC100-30	0-75mm(3")	black
GC100-40	0-100mm(4")	black
GC100-50	0-125mm(5")	black
GC170-10	0-25mm(1")	blue
GC170-20	0-50mm(2")	blue
GC170-30	0-75mm(3")	blue
GC170-40	0-100mm(4")	blue
GC170-50	0-125mm(5")	blue



Test tube rack				
item no.	model tubes		Dia.	
ST300-10	PVC coated	6*2	16mm	
ST300-20	PVC coated	6*2	25mm	
ST300-30	AISI304	6*2	16mm	
ST300-40	AISI305	6*2	25mm	



Weight ring

Cast iron,PVC costed rings.for stabilizing conical flasks immersed in water.

item no.	weight(kg)	I.D.(mm)	flasks
WR300-48	0,22	48	50-500ml
WR300-56	0,45	56	250-1000ml
WR300-61	0,68	61	1000-2000ml
WR300-74	0,91	74	1-5L
WR300-70		70	
WR300-90		90	



Test tube rack			
item no.	model	tubes	Dia.mm
ST400-10	PVC coated	6*4	16
ST400-20	PVC coated	6*5	25
ST400-30	AISI304	6*6	16
ST400-40	AISI305	6*7	25



Test tube rack(Z type)

made of aluninium.with hole arranged in 5 rows $^{*}10$ holes,and alphanumeric engraved for cross reference,guide from 1 to 10 and A to e.

item no.	holes dia.	rows
ST450-012	12,2	5*10
ST450-014	14,5	5*10
ST450-017	17,5	5*10
ST450-48M	Multihole	28*5,19*6,13*8



Test tube racks (plastic)

Made of a blend plolyplene,locking feels allow racks to be stacked while not in use .Rows are numbered and lettered for tube identification.Available in five sizes and colours.



item no.	O.D.	tubes	rows	colour
A1989-1000	13mm	90	6*15	white
A1989-1001	16mm	60	5*12	white
A1989-1002	20mm	40	4*10	white
A1989-1003	25mm	24	3*8	white
A1989-1004	30mm	21	3*7	white
A1990-1000	13mm	90	6*15	red
A1990-1001	16mm	60	5*12	red
A1990-1002	20mm	40	4*10	red
A1990-1003	25mm	24	3*8	red
A1990-1004	30mm	21	3*7	red
A1991-1000	13mm	90	6*15	blue
A1991-1001	16mm	60	5*12	blue
A1991-1002	20mm	40	4*10	blue
A1991-1003	25mm	24	3*8	blue
A1991-1004	30mm	21	3*7	blue
A1992-1000	13mm	90	6*15	yellow
A1992-1001	16mm	60	5*12	yellow
A1992-1002	20mm	40	4*10	yellow
A1992-1003	25mm	24	3*8	yellow
A1992-1004	30mm	21	3*7	yellow
A1993-1000	13mm	90	6*15	green
A1993-1001	16mm	60	5*12	green
A1993-1002	20mm	40	4*10	green
A1993-1003	25mm	24	3*8	green
A1993-1004	30mm	21	3*7	green